## 2016 FXLION Battery Distributor Price List

VI VI	ION		Valid till: 31 Dec.,2016	
No	Name	Model	Describtion	Price Sino May 15,20
			Intelligent Battery	
1	Battery	BP-F100U	14.8V/100WH, V-lock battery could be stacked back, UPS power resource intellgently control back battery discharge first, without power off when changing	US\$400,0
		FXLIO	N Cool Blue Battery with LCD Screen &USB output	
3	V-mount Battery <b>☆</b>	BP-190SL	14.8V, 13.0AH, 190WH, LCD screen indicator, with USB output	US\$537,
2	V-mount Battery <b>☆</b>	BP-130SL	14.8V, 9.0AH, 130WH, LCD screen indicator, with USB output	US\$400,
1	V-mount Battery <b>☆</b>	BP-100SL	14.8V, 6.6AH, 100WH, LCD screen indicator, with USB output	US\$362,
		1	FXLION Cool Black Battery with USB output	
1	V-mount Battery	BP-250S	14.8V,16.75AH, 250WH, 5-level LED power indicator, with USB output	US\$637,
2	V-mount Battery	BP-190S	14.8V, 13.0AH, 190WH, 5-level LED power indicator, with USB output	US\$487,
3	V-mount Battery	BP-160S	14.8V, 10.5AH, 160WH, 5-level LED power indicator, with USB output	US\$420,
4	V-mount Battery	BP-130S	14.8V, 9.0AH, 130WH, 5-level LED power indicator, with USB output	US\$350,
<u>.                                    </u>	V-mount Battery	BP-100S	14.8V, 6.6AH, 100WH, 5-level LED power indicator, with USB output	US\$312,
	•	BP-65S		
<u>6</u>	V-mount Battery Gold-mount		14.8V, 4.4AH, 65WH, 5-level LED power indicator, with USB output	US\$212,
7	Battery Gold-mount	AN-250A	14.8V,16.75AH, 250WH, 5-level LED power indicator, with USB output	US\$637,
8	Battery Gold-mount	AN-190A	14.8V, 13.0AH, 190WH, 5-level LED power indicator, with USB output	US\$487,
9	Battery Gold-mount	AN-160A	14.8V, 10.5AH, 160WH, 5-level LED power indicator, with USB output	US\$420,
.0	Battery Gold-mount	AN-130A	14.8V, 9.0AH, 130WH, 5-level LED power indicator, with USB output	US\$350,
1	Battery Gold-mount	AN-100A	14.8V, 6.6AH, 100WH, 5-level LED power indicator, with USB output	US\$312,
2	Battery	AN-65A	14.8V, 4.4AH,65WH, 5-level LED power indicator, with USB output	US\$212,
	Gold-mount	l	FXLION Classic Battery	
1	Battery	AN-2500	14.8V, 16.75AH, 250WH, 4-level LED power indicator	US\$612,
2	Gold-mount Battery	AN-1900	14.8V, 13AH, 190WH,4-level LED power indicator	US\$450,
3	Gold-mount Battery	AN-1600	14.8V, 10.5AH, 160WH,4-level LED power indicator	US\$382,
	Gold-mount		•	
<u>4</u> -	Battery Gold-mount	AN-2000A	14.8V, 9AH, 130WH,4-level LED power indicator	US\$312,
5	Battery	AN-2000D	14.8V, 6.6AH, 100WH,4-level LED power indicator	US\$275,
6	V-mount Battery	BP-2500	14.8V, 16.75AH, 250WH,4-level LED power indicator	US\$612,
7	V-mount Battery	BP-1900	14.8V, 13AH, 190WH,4-level LED power indicator	US\$450,
8	V-mount Battery	BP-1600	14.8V, 10.5AH, 160WH,4-level LED power indicator	US\$382,
9	V-mount Battery	BP-2000	14.8V, 9AH, 130WH,4-level LED power indicator	US\$312,
.0	V-mount Battery	BP-2000D	14.8V, 6.6AH, 100WH,4-level LED power indicator	US\$275,
			26V High Power Film/LED Light Battery	

2	26V Battery	BP-7S230	26V, 230Wh	US\$525,00
3	26V Charger	PL-7110	1-channel charger just for BP-7S170 BP-7S230 Output: 29.4V/2A	US\$137,50
4	26V Charger	PL-7S2DS	dual channel deck charger just for FXLION 26V battery BP-7S170 and BP-7S230	US\$347,50
			Quick Battery Charger	
1	Gold-mount Quick Charger	PL-Q80A	Mono-channel deck quick charger twice fast to charge one Gold-Mount battery, with USB output	US\$212,50
	V-mount Quick			
2	Charger V-mount Quick	PL-Q80B	Mono-channel deck quick charger twice fast to charge one V-Lock battery, with USB output	US\$212,50
3	Charger ☆ Gold-mount Quick	PL-Q280B	2-channel quick charger,each channel charging output:16.8V/4A	Await
4	Charger ☆	PL-Q280A	2-channel quick charger,each channel charging output:16.8V/4A	Await
		Battery Stand	lard V Mount or Gold Mount Deck Battery Charger	
1	Gold-mount Charger	PL-1680A	portable dual-channel synchronous charger, could charger 2pcs AN batteries	US\$325,00
2	V-mount Charger	PL-1680B	portable dual-channel synchronous charger, could charger 2pcs BP batteries	US\$325,00
3	Gold-mount Charger	PL-4680A	deck dual-channel synchronous charger, could charger 2pcs AN batteries	118\$225.00
	S			US\$325,00
4	V-mount Charger Gold-mount	PL-4680B	deck dual-channel synchronous charger, could charger 2pcs BP batteries	US\$325,00
5	Charger	PL-5680A	deck quad-channel synchronous charger, could charger 4pcs AN batteries	US\$550,00
6	V-mount Charger	PL-5680B	deck quad-channel synchronous charger, could charger 4pcs BP batteries	US\$550,00
		Battery Standa	ard V mount and gold mount Common Cable Charger	
1	Common Charger	PL-3680B	Portable Mono-channel charger, could charge both AN and BP	US\$100,00
2	Common Charger	PL-3680D	the most cost-effective, dual-channel synchronous charger with one DC output, could charge both AN and BP	US\$250,00
3		PL-3680E	plastic dual-channel synchronous charger with one DC output, could charge both AN and BP	US\$325,00
4	Common Charger	PL-5680	quad-channel synchronous charger, could charge both AN and BP	US\$375,00
			Posterior Outrant Advertism	
			Battery Output Adapter With 2pcs BP batteries, offer 14.8V/8A and 24V/10A outputs, supply portable power resource	
1	Adapter	PL-2DBS	for LED light With 4pcs BP batteries, offer 12V/5A and 24V/15A outputs, supply portable power resource	US\$325,00
2	Adapter	PL-4DBS	for LED light	US\$575,00
3	Adapter	PL-4DB48S	With 4pcs BP batteries, offer 12V/5A and 48V/6A outputs, supply portable power resource for high power LED light	US\$625,00
4	Adapter	PL-2DBA	With 2pcs AN batteries, offer 14.8V/8A and 24V/10A outputs, supply portable power resource for LED light	US\$325,00
5	Adapter	PL-4DBA	With 4pcs AN batteries, offer 12V/5A and 24V/15A outputs, supply portable power resource for LED light	US\$575,00
6	Adapter	PL-4DB48A	With 4pcs AN batteries, offer 12V/5A and 48V/6A outputs, supply portable power resource for high power LED light	US\$625,00
U	112uaput			059023,00
	Charger&Adapter	Ba	ttery Output Adapter & Battery Charger  quad-channel V-mount charger and output adapter, max power 360W, 14.8V+14.8V+24V	
1	☆ Charger&Adapter	PL-4DCS	outputs synchronous,V mount battery applicable	US\$875,00
2	<b>☆</b>	PL-4DC48S	quad-channel V-mount charger and output adapter, max power 480W, 14.8V+14.8V+48V outputs synchronous,V mount battery applicable	US\$1.050,00
3	Charger&Adapter  ☆	PL-2DCS	2-channel V-mount charger and output adapter, max power 360W, 14.8V+24V outputs synchronous,V mount battery applicable	Await
4	Charger&Adapter	PL-4DCA	quad-channel gold mount charger and output adapter, max power 360W, 14.8V+14.8V+24V outputs synchronous,gold mount battery applicable	US\$875,00
5	Charger&Adapter		quad-channel gold mount charger and output adapter, max power 480W, 14.8V+14.8V+48V	
	Charger&Adapter	PL-4DC48A	outputs synchronous,gold mount battery applicable  2-channel gold mount charger and output adapter, max power 360W, 14.8V+24V outputs	US\$1.050,00
6	X	PL-2DCA	synchronous,gold mount battery applicable	Await
		M	ultifunctional High Power Li-ion Battery	

	1	T	PROVED A 14 ANYMON A 14 ANYMON A 15 ANYMON			
1	Battery	XH-DY-7220	500Wh, output1: 28V/20A outputs: 12V/10A, the max dishcarge current is 30A, for Arri 200W/400W/ 575W film lights	US\$2.050,00		
2	Charger	PL-7115	charger just for XH-DY-7220 output 29.4V/5A	US\$187,50		
	DV Battery for Sony & Panasonic					
			Support DV Models: Sony DV Camera DSR-190P, DSR-198P, HVR-			
1	SONY DV Battery	DF-248	Z1C、Z5C、Z7C、V1C、HD1000C  14.8V,4.4AH, 65wh.total decode;	US\$125,00		
2	SONY DV Battery	DF-U65	Support DV Models: Sony DV Camera PMW-EX1R, PMW-EX3, PMW-EX160, PMW-	US\$210,00		
3	SONY DV Battery	DF-U75	14.8V,5.2Ah,75wh, with D-TAP and USB outputs Support DV Models: Sony DV Camera PMW-EX1R, PMW-EX3, PMW-EX160, PMW-	US\$250,00		
4	SONY DV Battery		Support DV Models: Sony DV Camera PMW-EX1R, PMW-EX3, PMW-EX160, PMW-EX260, PMW-EX280. FS7	US\$270,00		
5	PANASONIC DV Battery	DP-254	7.4V,5.4AH,40WH Support DV Models: Panasonic DV Camera HVX203、HPX173、DVC180、AJ-PX298	US\$125,00		
	PANASONIC DV	D1 201	7.4V,6.6AH,48WH;	СБФ122,00		
6	Battery	DP-266	Support DV Models: Panasonic DV Camera HVX203, HPX173, DVC180, AJ-PX298	US\$137,50		
7	PANASONIC DV Battery	DP-VBD58	Panasonic AJ-PX298MC Battery; Support DV Model; PanasonicAJ-PX298	US\$125,00		
8	PANASONIC DV Battery	DP-153	7.4V,5.2AH,38WH; Support DV Models: Panasonic AG-HMC153, AG-AC160, AG-AC130	US\$112,50		
			DVD 44 CI			
	CI a	I	DV Battery Charger			
1	Charger for sony DV battery	PL-6000S	Mono-channel portable charger for FXDF-248 and SONY970 series	US\$50,00		
2	Charger for sony DV battery	PL-4680S	Quad-channel synchronous charger for FX DF-248 and SONY970 series	US\$150,00		
,	Charger for sony	DI 11/2	Dead about design to the control of	TIC#147 50		
3	DV battery	PL-U65	Dual-channel with LCD charger for FX DF-U65 DF-U75 and SonyU60/90 series	US\$147,50		
4	Charger Panasonic DV	PL-6000P	Mono-channel portable charger for FX DP-254 DP-266 and Panasonic D54 series	US\$50,00		
5	battery Panasonic DV	PL-4680P	Quad-channel synchronous charger for FX DP-254 DP-266 and Panasonic D54 series	US\$150,00		
6	battery	PL-6153P	Mono-channel portable charger for FX DP-153	US\$50,00		
7	& Panasonic DV battery	PL-DSP40	Could charge both sony 970 and Panasonic D54/VBD58 batteries. Could charge DF-248 ,DP-254 ,DP-VBD58 battery synchronously. 4-channel synchronous charger.	Await		
		Can	nera Mounted LED Light/Plate/Accessory			
	Camera Mounted		18W, input 6.0-16.8V (DV battery FX DF-248 and Sony NP-F 970), with convert plat XH-			
1	LED Light	XH-L18S	DSP to use Panasonic DV battery	US\$250,00		
2	Camera Mounted LED Light	XH-L10S	10W, input 6.0-16.8V (DV battery FX DF-248 and Sony NP-F 970), with convert plat XH-DSP to use Panasonic DV battery	US\$200,00		
3	Magic Arm	XH-MA7	7 inch magic arm	US\$112,50		
<u>-</u>				YYO TO TO THE		
4	Magic Arm	XH-MA11	11 inch magic arm	US\$125,00		
5	Plate	XH-AN	AN plate	US\$50,00		
6	Plate	XH-BP	BP plate	US\$50,00		
7	Double Plate	XH-BP-A	Instantly converting Gold Mount to V-Mount without disassembling or changing the battery, Can be used on the charger with Gold Mount to charge V-Mount battery	US\$150,00		
8	Double Plate	XH-AN-S	Instantly converting V-Mount to Gold Mount without disassembling or changing the battery, Can be used on the charger with V-Mount to charge Gold Mount battery.	US\$150,00		
9	T Plate	XH-2BP-S	fix on v-lock camers to hang 2pcs BP batteries	US\$187,50		
10	T Plate	XH-2AN-A	fix on gold-mount camera to hang 2pcs AN batteries	US\$187,50		
11	Plate ☆	XH-BP-MARK201	plate for Canon C300 Mark 2	US\$187,50		
12	Plate ☆	XH-BP-MARK202	plate for Canon C300 Mark 2, with kits	US\$220,00		
<del></del>			,	1223,00		
13	Plate ❖	XH-2DF-S	DV hatteries to V-mount hattery converter	US\$62.50		
13	Plate ☆	XH-2DF-S	DV batteries to V-mount battery converter  V-mount plate fixed on light stand	US\$62,50		
13 14 15	Plate ☆ Plate ☆	XH-2DF-S XH-BP-L01 XH-BP-L02	DV batteries to V-mount battery converter  V-mount plate fixed on light stand  V-mount plate fixed on light stand	US\$62,50 US\$100,00 US\$100,00		

			Cable	
1	Cable	FX-B01-USB01	offer one USB output by battery, 5.0V/1.0A	US\$25,00
1	Cable	FA-DUI-USDUI	offer one OSB output by pattery, 5.0 v/1.0A	03\$23,00
2	Cable	FX-B01-USB02	offer two USB outputs by battery, 5.0V/1.0A	US\$37,50
			Length: 45cm	
3	Cable	B01-L45Z	Connect battery's D-tap to power Blackmagic camera.	US\$12,50
			·Battery's D-tap epitaxial use. Length of connect battery's D-tap easy to take power for	
4	Cable	FX-B01-B02	electrical device.	US\$27,50
			·Turn one Battery's D-tap into two D-tap outputs. One battery could supply power for wireless	
5	Cable	FX-B01-B02D2	receiver, monitor and camera Mounted Light via D-tap socket at the same time.	US\$45,00
			·Turn one Battery 's D-tap into four D-tap outputs. One battery could supply power for	
6	Cable	FX-B01-B02D4	wireless receiver, monitor and camera Mounted Light via D-tap socket at the same time.	US\$62,50
			•Take power from D-tap, use 4-pin DC output to supply power for device. Extend another B02	
7	Cable	FX-B01-B02D4P	socket and connect with another B01 plug output .easy to charging for 2 device.	US\$33,75
			•Take power from B01, use Φ2.1 plug to supply power for device. Extend to another B02	
8	Cable	FX-B01-B02L45	socket and connect with another B01 plug output. easy to charging for 2 device.	US\$31,25
			·Weight: 28g	
9	Cable	AN-L45	One ♥2.1 plug and one D-tap socket in each end.	US\$11,25
			·Weight: 27g	
10	Cable	AN-BL45	·With D-tap socket in each end.	US\$12,50
			·Weight: 74g	
11	Cable	B01-DC	One 4 pin DC plug and one D-tap socket in each end.	US\$21,25
			·Weight: 76g	
12	Cable	L45-DC	One 4 hole DC plug and one ¢2.1 plug in each end.	US\$21,25
			·Length: 45cm	
13	Cable	L45Z-DC	·Weight: 76g	US\$21,25
			·Weight: 29g	
14	Cable	XH-L45	·With <b>¢</b> 2.1 plug in each end	US\$6,25

14 | Cable | XH-L45 | ·With & 2.1 plug in each end

Note: AN battery fit for all gold-mount interface camera, include Panasoinc, JVC, Canon, Arri and Red; BP battery fit for all v-lock interface camera, include Sony, JVC, Canon, Arri and Red, and v-lock interface LED light